



VITREX (PTY) LTD

Tel: +27 11 826-6057/8/9 Fax: +27 11 823-1641

PO Box 13101, Witfield 1467, South Africa

9 Jansen Road, Jet Park, Boksburg

email: vitrex@vitrex.co.za

www.vitrex.co.za



GENERAL PRODUCT SPECIFICATIONS

EuroSan Enamel (Porcelain) Steel Baths and Shower Trays

(Document Reference CC/GPS/SAN/01 Rev. 1 April 2010)

(E&OA - Document and content subject to change without prior notice)

The Vitrex EuroSan range of enamel (porcelain coated) steel baths and shower trays offers the following advantages:

- **Quality:** High quality materials which meet the most stringent requirements.
- **Durable Surface:** Impervious to chemicals, paints, bacterial or mould growth, colours are permanent and cannot fade even under the harshest conditions. Resistant to abrasion, staining, fire and burns.
- **Ease of Cleaning:** Regular, basic cleaning regime.
- **Colours:** Variety of colours available to match and complement the standard sanitaryware ranges on the market.
- **Health:** Anatomical bath tub designs. Dafne baths can be manufactured to allow for the inclusion of a twin-jet option, which provides a highly active and efficient whirlpool massage.
- **Non-Combustible:** Totally incombustible will resist heat up to 650°C and continuous temperatures up to 400°C.
- **Ease of Installation:** Baths can be supplied with Adjustable Feet to provide for height and level adjustment.

Please note that the use of *italics* in the text indicates the need for an appropriate selection to be made by the Specifier:

“Standard Vitrex EuroSan enamel steel baths and shower trays, installed in position strictly in accordance with the manufacturer’s instructions.

Baths to be supplied complete with *Standard CP Handles (Nueva Europa Baths)* / *Standard CP Handgrips (Dafne Baths)* / *Adjustable Feet* / _____ *(confirm number) Tap Holes.*

Shower Trays to be supplied with integral Anti-slip Pattern.

Colour of the enamel to be selected from the EuroSan Standard Colour Range.



Member of the Institute
of Vitreous Enamellers (IVE)

ISO 9001:2000 accredited
Quality Management System



Directors

CFG Cottino M.Sc.Eng. (Civil) (Wits), KD Holzapfel, R Narotzky ACIS (Managing), RF Vollmer, B Yawitch B. Arch. (Wits) (Chairman)
Reg. No. 83/13778/07

The vitreous enamel steel surface is to be guaranteed to perform specifically to the function for which it was intended, and to remain functionally unchanged for a period of fifteen (15) years, under the terms of the general EuroSan Guarantee.”

(A) Typical Specifications:

Example 1:

Vitrex EuroSan “Nueva Europa” Enamel Steel bath, manufactured from 2.0 mm enamelling quality steel, size 700 mm wide x 1700 mm long, reference (N2), supplied complete with standard CP Handles, reference (EX2), and set of Adjustable Feet, reference (EX4). Colour = White.

Unit of Measure = No.

Example 2:

Vitrex EuroSan “Dafne” Enamel Steel bath, manufactured from 2.0 mm enamelling quality steel, size 830 mm wide x 1800 mm long, reference (D3), supplied complete with standard CP Handgrips, reference (EX3), and with set of Adjustable Feet, reference (EX4). Colour = White.

Unit of Measure = No.

Example 3:

Vitrex EuroSan “Letaba” Enamel Steel shower tray, manufactured from 1.6 mm enamelling quality steel, size 800 mm x 800 mm, reference (L1), supplied complete with integral anti-slip pattern. Colour = White.

Unit of Measure = No.

(B) Schedule of EuroSan Baths and Shower Trays:

Product	Type	Product Code	Width (mm)	Length (mm)
Baths	Nueva Europa	N1	700	1500
		N2	700	1700
		EX2	CP Handles	
		EX4	Adjustable Feet	
Dafne	Dafne	D1	750	1700
		D2	830	1700
		D3	830	1800
		EX3	CP Grips	
		EX4	Adjustable Feet	
		EX1	Tap Holes (if required)	
Shower Trays	Letaba	L1	800	800
		L2	900	900

(D) Technical Notes:

- a. Our staff and Agents remain available to address any queries, provide project specific recommendations as well as to assist with selecting the appropriate EuroSan bath and shower tray to suit your application.